





# **MICROWAVE PRODUCT LINE FEATURES\***

- Stainless steel construction to stand up to heavy duty use
- Dual magnetron option for faster cooking (SCM1800M2)
- Digital control panel includes multi-stage cooking options and savable combination settings
- Counter function lets you keep track of use
- Easy grip handles in stainless steel
- Flat bottom with no interior turntable, ideal for many specific facilities (model SCM1000SS)

XZ

PROG

 6

 7

 8

Residential model (SCM853) also available where NSF is not required

#### **INDUCTION COOKTOP FEATURES\***

Smooth Schott Ceran® glass for easy cleaning and lasting durability

110V operation for flexible use

Portable design allows easy cooking for breakfast buffets and tableside service

Brushed stainless steel base

Convenient touch controls

\*Features may vary by model. For complete details, visit our website



#### **SCM1000SS COMMERCIAL MICROWAVE**

#### 12 1/4" H x 20 1/4" W x 14 3/4"

ETL-S listed to NSF-4 standards 110V operation with no interior turntable



#### **SCM1800M2** DUAL MAGNETRON MICROWAVE

#### 16" H x 19 1/4" W x 23 3/4" D

ETL-S listed to NSF-4 standards 220V dual magnetron unit with removable shelf



#### **SCM853 MICROWAVE**

#### 11" H x 18 18" W x 14 1/4" D

For residential use Stainless steel construction and easy touch controls



3

#### SINCCOM1 INDUCTION COOKTOP

#### 3 1/8" H x 12 1/8" W x 16 3/4" D

ETL-S listed to NSF-4 standards 110V operation in a portable design





# **COMMERCIAL PRODUCT LINE FEATURES\***

- Fast temperature recovery to ensure stored items stay cold
- Factory installed keyed locks
- Dual pane tempered glass doors for temperature-safe storage
- Stainless steel door trim enhances product presentation
- Digital controls with temperature display
- Stainless steel interior construction for easier cleaning
- ADA compliant choices available in a 32" height
- Undercounter options in 12", 15", 18", 20", 24", 30", and 36" widths
- Built-in capable and freestanding choices for versatile installation
- \* Features may vary by model. For complete details, visit our website



4





#### **SCR114L BEVERAGE CENTER**

#### 19 1/4" H x 13 3/4" W x 17 1/4" D

ETL-S listed to NSF-7 standards Compact size with lock and reversible glass door





#### **SCR215L • SCR215LBI BEVERAGE CENTER**

#### 20 1/8" H x 17" W x 18 3/4" D

ETL-S listed to NSF-7 standards • Compact fit with a stainless steel trimmed glass door, digital thermostat, and lock





#### SCR312L • SCR312LBI BEVERAGE CENTER

#### 25 1/2" H x 17 3/4" W x 20 1/4" D

ETL-S listed to NSF-7 standards • Also available with a stainless steel wrapped cabinet and as a wine cellar





#### SCR486L • SCR486LBI BEVERAGE CENTER

#### 33" H x 19" W x 19 1/2" D

ETL-S listed to NSF-7 standards Available with a stainless steel wrapped exterior cabinet





#### **SCR610BL REFRIGERATOR**

#### 34" H x 23 5/8" W x 23 1/2" D

ETL-S listed to NSF-7 standards • Designed for built-in or freestanding use, with a stainless steel interior for improved sanitation



#### **SCR7012DB BUILT-IN REFRIGERATOR**

#### 34 1/8" H x 35 1/2" W x 19 5/8" D

ETL-S listed to NSF-7 standards • Back bar beverage center with self-closing French doors and hammered aluminum interior



# **COMMERCIAL PRODUCT LINE FEATURES\***

- Front-opening and drawer style units available
- European choices specially designed with oversized compressors for faster temperature recovery
- Commercial ENERGY STAR® certified options
- 32" high choices to fit under ADA compliant counters
- Auto defrost or frost-free operation, including frost-free freezers
- Matching refrigerator/freezer sets in 15", 18", 20", and 24" sizes
- Large selection of exterior finishes, including black, white, stainless steel, and panel-ready
- Built-in & ADA compliant icemakers with internal pumps

\* Features may vary by model. For complete details, visit our website





#### 34" H x 23 5/8" W x 23 1/2" D

ETL-S listed to NSF-7 standards • 25" high stainless steel interior allows you to store two rows of 12" tall bottles





7

### FF7BBIADA ALL-REFRIGERATOR

#### 32" H x 23 5/8" W x 23 1/2" D

ETL-S listed to NSF-7 standards • Made in Europe in ADA compliant height for built-in use under counters



#### **SP6DS2D7 ALL-REFRIGERATOR**

#### 33 1/4" H x 23 3/4" W x 23 5/8" D

ETL-S listed to NSF-7 standards • Made in the USA in complete stainless steel; also available in panel-ready form and ADA compliant 32" height



#### **SCFF532D ALL-FREEZER**

#### 34" H x 23 5%" W x 23 5%" D

ETL-S listed to NSF-7 standards • Frost-free all-freezer in complete stainless steel, with digital thermostat and removable basket





## **BIM44GADA CLEAR ICEMAKER**

#### 32 3/8" H x 14 1/2" W x 23 1/2" D

NSF listed • ADA compliant height for lower counters, with 50 lb. production capacity in a day's cycle



#### **BIM680SPUMP CLEAR ICEMAKER**

#### 33 3/8" H x 14 7/8" W x 22 5/8" D

ETL-S listed to NSF-12 standards • Indoor/outdoor icemaker makes • 62 lbs. gourmet clear ice, with stainless steel exterior & internal pump

SUMMIT COMMERCIAL DIVISION FELIX STORCH, INC. ISO 9001:2015 CERTIFIED

770 Garrison Avenue, Bronx, NY 10474 USA • TEL 718.893.3900 • FAX 844.478.8799 • info@summitappliance.com • summitappliance.com

# BEER, WINE, & COLD BREW COFFEE DISPENSERS

# **COMMERCIAL PRODUCT LINE FEATURES\***

- Store & serve from a full-sized standard keg or sixtels
- Outdoor units available with weatherproof construction
- Digital thermostats help to ensure proper serving temperature for a variety of beverages
- Built-in and freestanding units available to meet specific placement needs
- Beer dispensers available with single, double, or triple Sankey tap systems
- Single and dual tap wine dispensers for white wine & rose
- Cold brew & nitro-infused coffee dispensers with nitrogen tanks & tap kits included
- Automatic defrost for minimum user maintenance
- 32" high ADA compliant choices

\* Features may vary by model. For complete details, visit our website





#### **SBC56GBICSSADA BEER DISPENSER**

#### 32" H x 23 5/8" W x 23" D

ETL-S listed to NSF-7 standards • Designed for built-in installation under ADA compliant counters



#### 33 ½" H x 23 5%" W x 25 ½" D

ETL-S listed to NSF-7 standards Freestanding kegerator with black exterior and digital controls



#### **SBC6950STRIPLE BEER DISPENSER**

#### 34 1/4" H x 23 1/8" W x 25" D

ETL-S listed to NSF-7 standards • Deluxe indoor/outdoor built-in or freestanding use, with stainless steel exterior & triple tap system



### 33 ½" H x 23 5%" W x 25 ½" D

# ETL-S listed to NSF-7 standards

Includes dual tap kit to serve both flat and nitro-infused cold brew drafts



#### 34 1/4" H x 23 1/8" W x 25" D

ETL-S listed to NSF-7 standards • Wine keg dispenser for white or rosé wine, with complete tap kit; also available with a twin tap system



#### **SBC58BBIIFWKDTWINADA WINE DISPENSER**

#### 32 1/4" H x 23 5/8" W x 23 3/4" D

ETL-S listed to NSF-7 standards • Built-in ADA compliant wine kegerator with panel-ready door

# COMPACT, BUILT-IN, FULLY INTEGRATED, & FULL-SIZED WINE CELLARS

# **COMMERCIAL WINE CELLAR LINE FEATURES\***

- Variety of sizes, from tabletop choices to full upright sizes
- Single and dual zone options
- Stainless steel trimmed doors to enhance wine presentation
- Gently tinted glass doors help to protect stored wine
- Versatile shelving to accommodate standard Bordeaux bottles or wider Burgundy style
- Digital thermostats ensure proper storage temperature
- 32" high choices to fit under ADA compliant counters
- Combination wine & beverage centers for flexible storage
- Special shelving available on select units to display bottle labels
- \* Features may vary by model. For complete details, visit our website





#### **STC12** WINE CHILLER

#### 12 1/2" H x 35 3/4" W x 15 3/8" D

ETL-S listed to NSF-7 • Compressor-based wine chiller stores bottles in upright position





Allows you to store bottles upright

#### **SCR312LWC2** WINE CELLAR

#### 25 1/2" H x 17" W x 19 1/4" D

ETL-S listed to NSF-7 standards Compact commercial wine cellar





#### **SWC1535B** WINE CELLAR

#### 33 %" H x 14 ¾" W x 22 ¾" D

ETL-S listed to NSF-7 standards • Designed for built-in or freestanding use under counters, with digital controls and LED lighting





#### SWBV3067B WINE/BEVERAGE CELLAR

#### 34 %" H x 29 ½" W x 22 ½" D

ETL-S listed to NSF-7 standards • Dual zone wine/beverage center with French door swing and combination of wine and beverage shelves







#### SCR1401X • SCR1401CH WINE CELLAR

#### 69 ¾" H x 23 5%" W x 22 ¾" D

ETL-S listed to NSF-7 standards • Wine refrigeration, with diamond style stainless steel cellar shelving or angled racks to store & display champagne





#### **SWC6GBLBIADA WHITE WINE CELLAR**

#### 34 %" H x 23 %" W x 23 ½" D

ETL-S listed to NSF-7 standards
For built-in use under lower ADA compliant counters



# OUTDOOR Refrigeration

# **COMMERCIAL PRODUCT LINE FEATURES\***

- Stainless steel construction to hold up to the elements
- Weatherproof construction for safe use in the outdoors
- Integrated GFCI power cords for added safety in inclement weather
- Built-in undercounter choices in 15" and 24" widths
- Front-opening and drawer style refrigerators and freezers available
- Matching refrigerator/freezer sets with frost-free operation
- Glass door beverage centers for optimum product display
- \* Features may vary by model. For complete details, visit our website





#### **SPR3160SCSS OUTDOOR REFRIGERATOR**

#### 34 1/4" H x 14 1/8" W x 22 3/4" D

ETL-S listed to NSF-7 standards 15" wide all-refrigerator for built-in or freestanding use



#### **SPR70SSTADA OUTDOOR REFRIGERATOR**

#### 32" H x 23 ¾" W x 25" D

ETL-S listed to NSF-7 standards • Commercial all-refrigerator made in the USA and sized for built-in use under ADA compliant counters



#### **SPR6270S OUTDOOR REFRIGERATOR**

#### 34" H x 23 5%" W x 23 1/2" D

ETL-S listed to NSF-7 standards • Built-in capable all-refrigerator with lock and glass shelves



13

#### **SPFF510S OUTDOOR FREEZER**

#### 34" H x 23 5%" W x 23 1/2" D

ETL-S listed to NSF-7 standards Frost-free all-freezer designed for built-in or freestanding use





#### **SCR611GLOS BEVERAGE CENTER**

#### 34" H x 23 3/8" W x 23 1/2" D

ETL-S listed to NSF-7 standards • Outdoor beverage center with complete stainless steel construction inside and out



#### SPFF510S2D OUTDOOR FREEZER

#### 34" H x 23 5%" W x 23 5%" D

ETL-S listed to NSF-7 standards • Frost-free two-drawer all-freezer in complete stainless steel

SUMMIT

SUMMIT COMMERCIAL DIVISION FELIX STORCH, INC. ISO 9001:2015 CERTIFIED 770 Garrison Avenue, Bronx, NY 10474 USA • TEL 718.893.3900 • FAX 844.478.8799 • info@summitappliance.com • summitappliance.com





#### **SCR1006** BEVERAGE CENTER

#### 48" H x 21 1/4" W x 22 1/2" D

ETL-S listed to NSF-7 standards • Unique size with full display down to the floor. Includes LED lighting and digital controls





#### **SCR1156 BEVERAGE CENTER**

#### 58 3/8" H x 23 5/8" W x 22 7/8" D

ETL-S listed to NSF-7 standards • ENEGY STAR certified with a stainless steel interior, self-closing glass door, and digital controls



#### **SCR1401** BEVERAGE CENTER

#### 69 ¾" H x 23 %" W x 23 ¾" D

ETL-S listed to NSF-7 standards • Full 12.6 cu.ft. capacity in 24" footprint, with self-closing door and full storage visibility



#### **SCR49SSG REACH-IN REFRIGERATOR**

#### 83 ¾" H x 55 ¼" W x 31" D

ETL-S listed to NSF-7 standards • 49 cu.ft. commercial reach-in refrigerator with stainless steel interior and two self closing glass doors



#### **SCFU386 DISPLAY FREEZER**

#### 24" H x 23 %" W x 20 5%" D

ETL-S listed to NSF-7 standards Countertop display freezer with self-closing glass door and lock



#### **SCFU1211 FREEZER**

#### 59 3/8" H x 26 3/4" W x 26" D

ETL-S listed to NSF-7 standards • Frost-free commercial display freezer with digital thermostat and self-closing glass door



# UPRIGHT REACH-IN ALL-REFRIGERATORS & FREEZERS

# **COMMERCIAL PRODUCT LINE FEATURES\***

Stainless steel exterior construction to hold up to heavy duty commercial use

Stainless steel interiors for more temperature stability and easier cleanup

Digital thermostats for intuitive temperature management

Cantilevered shelves to accommodate virtually any sized storage item

Fast temperature recovery to ensure optimum performance

Self-closing doors limit the amount of time items are exposed to ambient air

\* Features may vary by model. For complete details, visit our website





### FFAR121SS ALL-REFRIGERATOR

#### 58 3/8" H x 23 5/8" W x 22 3/4" D

ETL-S listed to NSF-7 standards • Complete stainless steel construction, with digital controls, cantilevered shelving, and LED lighting



### **FFAR12W ALL-REFRIGERATOR**

#### 58 3/8" H x 23 5/8" W x 22 3/4" D

ETL-S listed to NSF-7 standards • White exterior with complete stainless steel interior construction for easy cleanability



#### SCRR232 • SCFF237 REFRIGERATOR & FREEZER

#### 83 ¾" H x 55 ¼" W x 31" D

ETL-S listed to NSF-7 standards • Reach-in units in complete stainless steel, with self-closing doors and digital controls



#### SCRR492 • SCFF497 REFRIGERATOR & FREEZER

#### 83 ¾" H x 55 ¼" W x 31" D

ETL-S listed to NSF-7 standards • Reach-in units with self-closing French doors, 49 cu.ft. capacity, and digital controls



### SCUR18NC • SCUF18NC REFRIGERATOR & FREEZER

#### 69 1/4" H x 34" W x 25 1/2" D

UL-S listed to NSF-7 standards Frost-free refrigerator or freezer with digital controls



### SCUR20 • SCUF20 REFRIGERATOR & FREEZER

#### 80 %" H x 34" W x 30 ½" D

UL-S listed to NSF-7 standards • Frost-free refrigerator or freezer with digital controls and 6" commercial casters for easier cleaning

SUMMIT

SUMMIT COMMERCIAL DIVISION FELIX STORCH, INC. ISO 9001:2015 CERTIFIED

770 Garrison Avenue, Bronx, NY 10474 USA • TEL 718.893.3900 • FAX 844.478.8799 • info@summitappliance.com • summitappliance.com

# ICE CREAM FREEZERS 8 DIPPING CABINETS

# **COMMERCIAL PRODUCT LINE FEATURES\***

Made in Denmark by Elcold

Factory installed digital thermostats to ensure perfect temperature conditions

**▼** Wide range of -13 to 23°F is ideal for ice cream, gelato, and other frozen treats

Sliding glass lids with rollers for smoother opening

Oouble tempered glass ensures lasting durability in curved or angled style

Casters included for easier mobility (ship unassembled)

Removable keyed lock for optional security

Novelty baskets included for easy storage





#### 30 ¾" H x 28 5%" W x 25 7%" D

UL-S listed to NSF-7 standards • Made in Denmark with a curved top, novelty baskets, lock, and digital controls with a wide -13 to 23°F range



UL-S listed to NSF-7 standards • Made in Denmark with a curved top, novelty baskets, lock, and digital controls with a wide -13 to 23°F range



#### 31 1/2" H x 30" W x 27 1/4" D

UL-S listed to NSF-7 standards • Made in Denmark with a flat top, novelty baskets, lock, and digital controls with a wide -13 to 23°F range



#### **NOVA35PDC DIPPING CABINET**

19

#### 48" H x 43" W x 27 1/4" D

UL-S listed to NSF-7 standards • Fully assembled with sneezeguard, light, digital controls (-13 to 23°F range), and tub holder baskets



#### **NOVA53PDC DIPPING CABINET**

#### 48" H x 60 3/4" W x 27 1/4" D

UL-S listed to NSF-7 standards • Fully assembled with sneezeguard, light, digital controls (-13 to 23°F range), and tub holder baskets



#### **NOVA61 FREEZER**

#### 31 1/2" H x 71" W x 27 1/4" D

UL-S listed to NSF-7 standards • Made in Denmark with a flat top, novelty baskets, lock, and digital controls with a wide -13 to 23°F range

SUMMIT COMMERCIAL DIVISION FELIX STORCH, INC. ISO 9001:2015 CERTIFIED

770 Garrison Avenue, Bronx, NY 10474 USA • TEL 718.893.3900 • FAX 844.478.8799 • info@summitappliance.com • summitappliance.com





#### **SCFM62 COMMERCIAL FREEZER**

#### 32" H x 38 ½" W x 22 ⅓" D

UL-S listed to NSF-7 standards • Manual defrost chest freezer in compact size



#### **SCFM92 COMMERCIAL FREEZER**

#### 33" H x 44" W x 24" D

UL-S listed to NSF-7 standards • Manual defrost commercial freezer with stainless steel corner protectors



#### **EQFR121** FROST-FREE FREEZER

#### 33 1/4" H x 53 3/4" W x 28 5/8" D

UL-S listed to NSF-7 standards • Frost-free refrigerator for low maintenance. Freezer version also available



#### **VT125** LAB FREEZER

21

#### 33 ¼" H x 55 ½" W x 28 5%" D

UL-S listed to NSF-7 standards •-30°C medical chest freezer with manual defrost operation, digital controls, lock, and temperature alarm



### **EL11LT** LAB FREEZER

#### 33 ½" H x 28 ½" W x 27 ¼" D

UL-S listed to NSF-7 standards • -45°C chest freezer made for us in Denmark by ELCOLD, with 4 ½" thick insulation and digital controls



#### **EL51LT LAB FREEZER**

#### 33 ½" H x 67" W x 27 ¼" D

UL-S listed to NSF-7 standards •-45°C chest freezer made for us in Denmark by ELCOLD, with 4 ½" thick insulation and digital controls

SUMMIT

SUMMIT COMMERCIAL DIVISION FELIX STORCH, INC. ISO 9001:2015 CERTIFIED

770 Garrison Avenue, Bronx, NY 10474 USA • TEL 718.893.3900 • FAX 844.478.8799 • info@summitappliance.com • summitappliance.com

# ENERGY SAVING DOOR TINTS

Give your customers a new way to look at refrigeration with SUMMIT's door tints. Available in five colors, these tinted films can be applied to any glass door refrigerator, freezer, or wine cellar, adding a unique look that helps to improve a unit's temperature performance and reduce energy consumption.





#### **MIRROR FINISH**

12% Visibility • 85% Solar Energy Rejection Option T1 (for compact & undercounter sizes) Near opaque low-E film for maximum energy savings but less product visibility





#### **DARK SMOKE**

15% Visibility • 83% Solar Energy Rejection
Option T1S (for compact & undercounter sizes)
Option T1SF (for two-door or full-sized models)
Reflective film in dark neutral tint for high
energy savings and reduced product visibility





#### MIDNIGHT BLUE

28% Visibility • 69% Solar Energy Rejection
Option T2 (for compact & undercounter sizes)
Option T2F (for two-door or full-sized models)
Reflective film in deep blue hue for high energy savings and reduced product visibility





#### **LIGHT BLUE**

**48% Visibility • 54% Solar Energy Rejection Option T3** (for compact & undercounter sizes) **Option T3F** (for two-door or full-sized models)
Reflective film in soft blue finish for moderate energy savings and product visibility





#### **LIGHT SMOKE**

67% Visibility • 29% Solar Energy Rejection
Option T4 (for compact & undercounter sizes)
Option T4F (for two-door or full-sized models)
Subtle, nearly transparent tint provides moderate protection and full interior visibility

NOTE: The final look of each tint may vary based on the style and finish of the unit it has been applied to. Actual tint may appear lighter or darker in person. Learn more at **summitappliance.com/tint** 

000000000000


0000000000

# ADDITIONAL PRODUCT LINES











FOR MORE INFORMATION, VISIT SUMMITAPPLIANCE.COM

TO REQUEST CATALOGS ON THESE PRODUCT LINES, CONTACT OUR SALES TEAM AT 718-893-3900















201908

# COMMERCIAL APPLIANCE CATALOG